GAF Residential Roofing Guide

(RESGN100)

Updated: 10/14

RESIDENTIAL ROOFING GUIDE

The One-Stop Guide To North America's #1-Selling Roofing Products



Table Of Contents

GAF Lifetime Roofing System 2-39

Lifetime Shingles	4-33
Ultra-Premium Collection	
Lifetime Designer Shingles	6-9
Camelot®	6
Grand Canyon®	8
Value Collection	
Lifetime Designer Shingles	10-21
Sienna®	10
Woodland®	12
Monaco®	14
Camelot® II	16
Grand Sequoia®	18
Slateline®	20
Timberline® Lifetime Shingles	22-31
Timberline® High Definition®	22
Timberline® American Harvest®	28
Timberline® Natural Shadow®	30
Specialty Lifetime Shingles	32-33
Timberline® Cool Series	32
Grand Sequoia® IR	33
Timberline® ArmorShield™ II	33
Lifetime Roofing	
System Accessories	34-39
Roof Deck Protection	34
Cobra® Attic Ventilation	36
Waterproof Leak Barriers	37
Eave/Rake Starter Strips	37
Ridge Cap Shingles	38
5 1 0	

Other GAF Roofing Products 40-47

Three-Tab Shingles	40
Master Flow® Ventilation Products	43
WeatherSide™ Fiber-Cement Siding	43
Shingle Specifications	44
ShingleMatch™ Accessory Paint	45
Liberty™ Low-Slope Roofing	46
TruSlate® Genuine Slate Roofing 4	6-47



More Than Just Coverage On Your Shingles!

GET AUTOMATIC LIFETIME PROTECTION ON YOUR ENTIRE GAF ROOFING SYSTEM!

A new roof is more than just shingles. When you install any GAF Lifetime Shingle and at least 3 qualifying accessories, you'll automatically get a Lifetime ltd. warranty on your shingles and all qualifying GAF accessories.† Why settle for anything less?







The GAF Lifetime Roofing System has earned the prestigious Good Housekeeping Seal, which means that Good Housekeeping stands behind the products in this system. (Refer to Good Housekeeping Magazine for its consumer protection policy. Applicable in U.S. only.)



*In the North, building codes require the use of Leak Barrier at the eaves

CAF Lifetime Shingles



GAF offers you many great Lifetime Shingle choices, including **Timberline®** Shingles with Advanced Protection® Shingle Technology. They're the #1-selling shingles in North America!

Advanced Protection® Shingle Technology results in superior protection for your home while reducing the use of precious natural resources. That's better for your home—and better for the environment!

To learn more about why Advanced Protection® Shingles are your best choice, visit **gaf.com/aps.**

Cobra® Attic

Helps remove excess heat and moisture from your attic that can raise your energy bills, cause premature peeling of interior paint and wallpaper, and even affect your health.

Roof Deck Protection

Allows moisture to escape from your attic while providing an exceptionally strong layer of protection against wind-driven rain. Also, lies flatter for a better-looking roof.

Leak Barrier

Provides exceptional protection against leaks caused by roof settling and extreme weather. Ideal upgrade at all vulnerable areas (including at the eaves in the North*).

Starter Strip Shingles

Saves time, eliminates waste, and reduces the risk of blow-off...and may even help qualify for upgraded wind warranty coverage (see GAF Shingle & Accessory Ltd. Warranty for details).

Ridge Cap Shingles

Enhances the beauty of your home while guarding against leaks at the hips and ridges.



†See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles and accessories are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable. Lifetime ltd. warranty on accessories requires the use of at least three qualifying GAF accessories and the use of Lifetime Shingles.

Choosing The Right Lifetime Shingle



If you're looking for a new roof, rest assured you've come to the right place. Not only do most GAF shingles offer a Lifetime ltd. warranty* for peace of mind, but GAF's vast shingle offering means you're virtually certain to find the right combination of style, color, and price to suit your taste.

Ultra-Premium Lifetime Designer Shingles

GAF's Ultra-Premium Lifetime Designer Shingles are our top-of-the-line asphalt shingles. They offer a variety of styles and colors to complement your home and to suit virtually any taste. These are the very best asphalt shingles you can buy!

Value Collection Lifetime Designer Shingles

Now you can have the beauty and style of designer roofing—but at an incredibly affordable price. GAF's Value Collection Lifetime Designer Shingles offer an exceptionally wide array of designer styles and colors, but at prices only slightly more than a standard architectural shingle.

Timberline® Lifetime Shingles

Timberline® Shingles are the #1-selling shingles in North America. They offer the very best combination of performance and value that you can get for your home. Choose from High Definition®, Natural Shadow®, or American Harvest® Shingles, the newest addition to the Timberline® family.

Specialty Lifetime Shingles

GAF offers shingles with special features, including our Timberline® Cool Series Shingles, which are ENERGY STAR® qualified (U.S. only), and our Grand Sequoia® IR Shingles and Timberline® ArmorShield™ II Shingles, which are Class IV impact resistant.









*See footnote on next page

Transform Your Home With GAF's Lifetime Designer Shingles!

Maximizing your property's "visual appeal" with a Lifetime Designer Shingle from GAF can be exciting, fun—and a smart investment.

Designer Style...

Whatever your preference, GAF's Lifetime Designer Shingles have become "the choice" of discerning property owners, designers, and architects. Our wide range of design choices includes shingles that emulate the rich look of natural materials like wood and slate.

Peace Of Mind...

GAF's Lifetime Designer Shingles far exceed industry performance standards—so it's no surprise that they include exceptional warranty protection. Every GAF Lifetime Designer Shingle is backed by a Lifetime Itd. warranty, plus Smart Choice® Protection (non-prorated material and installation labor coverage) for the first ten years and 130 mph (209 km/h) wind coverage.*

Two Options To Fit Your Budget...

- **Ultra-Premium Collection**—Gives you the thickest, most dimensional look for your roof.
- Value Collection Gives you a designer look for just pennies-a-day more than a standard architectural shinale.

All Of GAF's Lifetime Designer Shingles Offer You These Great Benefits:

- Affordable Luxury... GAF Lifetime
 Designer Shingles are only a fraction
 of the cost of traditional slate or
 wood shakes
- Sophisticated Designs... Artisan-crafted shapes combined with dimensional designs result in a sophisticated beauty unmatched by typical shingles
- Custom Color Palettes... Specially formulated color palettes are designed to accentuate each shingle's natural appeal
- High Performance... Designed with Advanced Protection® Shingle Technology, which reduces the use of natural resources while providing superior protection for your home (visit gaf.com/aps to learn more)
- StainGuard® Protection...
 Helps ensure the beauty of your roof against unsightly blue-green algae **
- Stain of Guardion Limited Warranty
- **Highest Fire Rating...** Class A fire rating from Underwriters Laboratories
- Stays In Place... Dura Grip™ Adhesive seals each shingle tightly and reduces the risk of shingle blow-off. Shingles warranted to withstand winds up to 130 mph (209 km/h)!†
- The Ultimate Peace Of Mind...
 Lifetime Itd. transferable warranty
 with Smart Choice® Protection
 (non-prorated material and installation
 labor coverage) for the first ten years*
- Perfect Finishing Touch... Use Timbertex® Premium Ridge Cap Shingles or Ridglass® Premium Ridge Cap Shingles.††
- *See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable.
- **StainGuard® protection is not available in all areas, or on Grand Sequoia® Shingles. See gaf.com for availability and details.
- [†]This wind speed coverage requires special installation. See *GAF Shingle & Accessory Ltd. Warranty* for details.

GAF

^{††}Timbertex® Premium Ridge Cap Shingles are available in the U.S. (except the Western Area) and throughout Canada. Ridglass® Premium Ridge Cap Shingles are available only in the Western Areas of both the U.S. and Canada; they are not available for Camelot® Shingles or Slateline® Shingles.

Note: It is difficult to reproduce the color clarity and actual color blends of these products. Before selecting your color, please ask to see several full-size shingles.







Timeless Beauty...Uncompromising Performance





Grand Canyon® LIFETIME Designer SHINGLES

The Ultimate Choice For A Rugged Wood-Shake Look







Classic Old World Elegance... At An Incredibly Affordable Price






Woodland

LIFETIME Designer SHINGLES

The Stylish Look Of Hand-Cut European Shingles... At An Incredibly Affordable Price







The Look Of Genuine European Tile... At An Incredibly Affordable Price








The Beauty Of GAF's Original Camelot® Shingle... At An Incredibly Affordable Price





GRAND SEQUOIA LIFETIME Designer SHINGLES

Great Value For A Rugged Wood-Shake Look





SLATELINE LIFETIME Designer Shingles

The Look Of Slate... At A Fraction Of The Cost







"North America's #1-Selling Shingles!"





"There's nothing quite like a genuine Timberline" High Definition roof!" Your roof can represent up to **40%** of your home's "curb appeal." Now, you can improve its resale value with Timberline® High Definition® Shingles from GAF.

Timberline® Shingles with Advanced Protection® Shingle Technology are the #1-selling shingles in all of North America. Professional installers have long preferred the rugged, dependable performance that only a Timberline® roof can offer.

But great performance is only half the story.
Timberline® High Definition® Shingles not
only protect your most valuable asset but also
beautify your home for years to come. In fact, an
independent research firm surveyed U.S. homeowners
about the brand of architectural shingles they
preferred. The result: more homeowners preferred
the look of Timberline® High Definition® Shingles to
the other leading brands!*

Why settle for anything less?

What's the **secret** to the striking look of a Timberline® High Definition® roof?

Timberline® High Definition® Shingles are unlike any others, thanks to our proprietary shadow bands. Each shadow band is applied using a sophisticated, computer-controlled "feathering" technique. When combined with our randomly blended top layer, it results in a shingle with exceptional depth and dimension—and a striking look unmatched by any other brand.

But don't just take our word for it. See for yourself. When you compare Timberline® High Definition® Shingles to typical architectural shingles, it's easy to see why they'll look sharper and more beautiful on your roof—while enhancing the resale value of your home.

See the difference...

Timberline® High Definition® Shingles



Another Major Brand



The color blends on Timberline® High Definition® Shingles (top) are sharp and well defined—to give your roof maximum dimensionality and depth.

*Based on a 2010 survey of U.S. Homeowners conducted in Ohio and Georgia and commissioned by GAF.

TIMBERLINE ULTRAHD

"Your Best Investment For An **Ultra-Dimensional** Wood-Shake Look"



"Value And
Performance In A
Genuine Wood-Shake Look"

GAF








High Definition® Colors/Availability

Most Popular High Definition® Colors (Available nationwide)










Note: StainGuard® Protection available in most areas

Note: It is difficult to reproduce the color clarity and actual color blends of the shingles in this catalog. Before selecting your color, please ask to see several full-size shingles.

Regional High Definition® Colors (See chart below for availability)







26 27

 $^{^1\}text{Timberline HD}^{\circledcirc}$ White is ENERGY STAR $^{\circledcirc}$ qualified (U.S. only) and listed with the Cool Roof Rating Council (CRRC). See gaf.com for availability and details.



INBERLINE American Harvest

"Colors From The Heartland Of America"

Designed to complement your home's exterior color scheme, the American Harvest® Collection will give you that modern architectural style you want, at a price you can afford!

Our new color palette combines subtle blends with contrasting colors to give your roof unexpected depth and beauty.

- Custom-Designed Color Palette... Specially designed to complement your home's exterior style. Subtle blends with contrasting colors will increase your roof's dimensionality.
- Extra-Dimensional... Optimized construction and advanced color application techniques result in an extra-dimensional look.
- Great Value... Architecturally stylish, but practically priced—with a Lifetime Itd. warranty.*
- Highest Fire Rating... Class A fire rating from Underwriters Laboratories.
- High Performance... Designed with Advanced Protection® Shingle Technology, which reduces the use of natural resources while providing superior protection for your home (visit gaf.com/aps to learn more).
- Stays In Place... Dura Grip™ Adhesive seals each shingle tightly and reduces the risk of shingle blow-off. Shingles warranted to withstand winds up to 130 mph (209 km/h).†
- Peace Of Mind... Lifetime ltd. transferable warranty with Smart Choice® Protection (non-prorated material and installation labor coverage) for the first ten years.*
- Perfect Finishing Touch... Use Timbertex® Premium Ridge Cap Shingles.**
- * See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable.
- **Timbertex® Premium Ridge Cap Shingles are available in the U.S. (except the Western Area) and throughout Canada.
- † This wind speed coverage requires special installation; see GAF Shingle & Accessory Ltd. Warranty for details.





INBERLINE Natural Shadow.

(Not available in Canada)

"Value & Performance In A Natural Wood-Shake Look"



Colors



We can help you choose the right shingle for your roof!

Try GAF's Virtual Home Remodeler at gaf.com. Visualize GAF shingles on a house like yours—or upload and decorate your own house.

Try different siding, trim, and brick colors. It's fun!





"Revolutionary Energy Savings!"

IMPACT-RESISTANT (IR) **SHINGLES**

"Get Potential Insurance Savings And Extra Protection For Your Most Valuable Asset!"





Now get potential energy and cost savings when you install GAF Timberline® Cool Séries Shingles

The revolutionary Timberline® Cool Series Shingles reflect sunlight to reduce unwanted attic heat build-up—to save energy. They are rated by the Cool Roof Rating Council (CRRC) and are ENERGY STAR® qualified (U.S. only). 1,2

- Helps Reduce Energy Cooling Costs... Cool roofs may save you an average of 7-15% on your total cooling costs, depending on geography, season, and property³
- Rebates... Some utility companies and municipalities may offer rebate incentive programs for installing a cool roof. 4

Timberline® Cool Series Shingles are stocked in Fontana, CA, and Shafter, CA, and are special order in other locations. ¹ All three Cool Colors meet the prescriptive requirements of California TITLE 24, Part 6 for Cool Steep Slope Roofing.

- ² When installed properly, this product will help reduce energy costs. Actual savings will vary based on geographic location and individual building characteristics. For more information, contact GAF Technical Services at 1-800-R00F-411, visit gaf.com, or call 1-888-STAR-YES.
- ³ According to the Cool Roof Rating Council.
- ⁴ Rebate programs and other incentives are time limited and change often; for more information, contact your utility, governmental unit, or tax advisor.

Note: See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" means as long as the original individual owner(s) of a single-family detached residence (or the second owner(s) in certain circumstances) owns the property where the shingles are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable.














It's sooo cool!†



Thanks to the reflective nature of Timberline® Cool Series Shingles, part of the heat radiating from the sun gets reflected, reducing the heat in the attic and heat going into the house. It may translate into substantial savings in air-conditioning bills. †Results may vary by geography, season, and property.

TIMBERLINE® COOL SERIES REFLECTANCE & **EMITTANCE DATA**

Color	Initial Solar Reflectance		Solar Reflectance Index (SRI)	LEED® Credits
Cool Antique Slate	0.27	0.92	29	YES
Cool Barkwood	0.27	0.92	29	YES
Cool Weathered Wood	0.26	0.92	28	YES

Note: It is difficult to reproduce the color clarity and actual color blends of the shingles in this catalog. Before selecting your color, please ask to see several full-size shingles.

Impact-Resistant Shingles

Get Potential Insurance Savings And Extra Protection For Your Most Valuable Asset!

- Potential Insurance Savings... Passes UL 2218 Class 4, and may qualify for insurance discounts[†]
- Excellent Wind Performance... Shingles are warranted to withstand maximum wind gusts of up to 130 mph (209 km/h)*
- Peace Of Mind... Lifetime Itd. transferable warranty with Smart Choice® Protection for the first ten years**
- Exceptional Protection... Design includes an SBS modified asphalt formula for rubber-like flexibility and maximum impact resistance
- Ridge Cap Shingles... Use our Seal-A-Ridge® IR Impact-Resistant Ridge Cap Shingles, UL 2218 Class 4 Ridge Cap Shingles. They're a unique color match to GAF Impact-Resistant Shinales.

Note: Always use complementary-color GAF Starter/Match $^{\!\scriptscriptstyle{\mathsf{TM}}}$ Starter Strip when installing Grand Sequoia® IR Impact-Resistant Shingles.










- ¹Insurance discounts may not be available in your area. Where available, insurance discounts may vary. Contact your insurance provider for information. *This wind coverage requires special installation; see GAF Shingle & Accessory Ltd. Warranty for details.
- **See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles and accessories are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable. Lifetime ltd. warranty on accessories requires the use of at least three qualifying GAF accessories and the use of Lifetime Shingles.

GAF IR Shingles meet the highest impact-resistance rating...

The UL 2218 Impact Test was developed in conjunction with insurance industry leaders. It's based on dropping a 2" (51 mm) steel ball from 20' (6 m) onto the top of a shingle to see whether the shingle cracks (see illustration below). GAF IR Shingles pass Class 4—the highest rating possible. Check with your insurance agent about potential savings on your homeowners insurance.†



- What you should also know about the UL 2218 impact test:
 Forceful Impact... The test simulates hailstorms impacting a roof at a speed of over 70 mph (110 km/h)!
- Potential Leaks... Shinales that fail the impact test are more likely to allow water to
- No Warranty Improvement... GAF's warranty does not cover hail damage even for shinales that pass this test.



Roof Deck Protection



DECKARMOR[™]

Premium Breathable Roof Deck Protection

- Revolutionary "Breathable" Technology... Helps prevent inside moisture from becoming trapped within your roofing system and possibly causing mold, mildew, and expensive structural damage.
- Safer for Installers... Specially designed surface helps provide excellent walkability for installers versus conventional felts or typical synthetic underlayments.
- Premium Construction... Exceptionally durable, non-asphaltic construction will not rot or become brittle (unlike conventional asphaltic felts, which can disintegrate over time).
- Exceptionally Strong... At least 600% (i.e., 7 times) stronger than standard #30 felt.1
- Looks Better... Unlike conventional asphaltic felts, Deck-Armor™ resists wrinkling or buckling, so it lets your shingles lie flatter for a better-looking roof.
- Peace of Mind... Up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs.†
- Saves Labor... Extra wide 54" (1.4 m) roll installs up to 50% faster than traditional 36" (914 mm) wide felts.
- . Cooler to Work With... Light-blue surface is cooler in hot weather than conventional black felts.
- Lightweight... Nearly 1/3 the weight of a roll of #30 felt.
- Easier to Cut... Spun-bound design is easier to cut than some other synthetic products.

¹ Trapezoidal tear strength per ASTM D4533.



SPECIFICATIONS

- UV-stabilized polypropylene construction resists UV degradation for up to 180 days*
- Meets or exceeds the physical requirements of ASTM D226 and D4869
- Miami-Dade County and Florida Building Code approved
- ICC-ES ESR-2808
- Approx: 10 squares/roll (excludes laps); length 223' (68 m); width 54" (1.4 m); 37 lbs. (17 kg)/roll (nominal)

Note: **Always** use plastic cap nails or staples with plastic caps to install Deck-Armor™ Roof Deck Protection.

†See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles and accessories are installed. For owners/ structures not meeting the above criteria, Lifetime coverage is not applicable. Lifetime ltd. warranty on accessories requires the use of at least three qualifying GAF accessories and the use of Lifetime Shingles.

*Note:180-day UV resistance refers to standardized testing conducted to ensure the product will not physically degrade when exposed to UV. It is NOT related to withstanding water, snow, or wind. While Deck-Armor™ Roof Deck Protection is water resistant, it is NOT WATERPROOF. DO NOT USE Deck-Armor" Roof Deck Protection as a temporary roof to protect property or possessions.



Conventional organic felts can absorb moisture, causing severe buckling and wrinkling—and a terrible-looking roof



Deck-Armor™ Premium "Breathable" Roof Deck Protection resists moisture, so it lies flatter for a better-looking roof!



TIGERPAWS

Roof Deck Protection

- Safer for Installers... Specially designed surface helps provide excellent walkability for installers versus conventional felts or typical synthetic underlayments.
- Special Moisture-Control Design... Helps remove nearly twice as much damaging moisture from your roof deck as the leading synthetic non-breathable underlayment.1
- Durable Construction... Non-asphaltic, polypropylene construction will not rot or become brittle (unlike conventional felts, which can disintegrate over time).
- Better-Looking Roof... Tiger Paw[™] Roof Deck Protection resists wrinkling and buckling that can "telegraph" through your roof shingles and detract from its finished appearance.
- Peace of Mind... Up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs.†
- Deck-Side Coating... Anti-skid back coating helps improve walkability, while also helping to keep the roll stationary during installation.
- Stronger... Synthetic, non-woven construction provides at least 600% (i.e., 7 times) greater tear strength than standard #30 felt.²
- Less Chance of Blow-Off... Up to 147% higher nail pull-through strength than #30 felt helps keep the product in place.³
- Convenient Size... 10 square (1,000 ft² [92.9 m²]), 48" (1.22 m) wide roll installs up to 33% faster than conventional felts.
- Lightweight... At 40 lbs (18 kg), it's approximately 33% lighter than a roll of #30 felt.
- Cooler to Work With... Light-grey surface is cooler in hot weather than conventional black felts.

¹ As per ASTM D570-modified.

² Trapezoidal tear strength per ASTM D4533.

3 Nail pull-through per ASTM D3642.

SPECIFICATIONS

- UV-stabilized polypropylene construction resists UV degradation for up to 180 days*
- Meets or exceeds the physical requirements of ASTM D226 and D4869
- Miami-Dade County and Florida Building Code approved
- ICC-ES ESR-3286
- Approx: 10 squares (1,000 ft² [92.9 m²])/roll (excludes laps); length 250' (76.2 m); width 48" (1.22 m); 40 lbs. (18 kg)/roll

Note: Always use plastic cap nails or staples with plastic caps to install Tiger Paw™ Roof Deck Protection.

*Note: 180-day UV resistance refers to standardized testing conducted to ensure the product will not physically degrade when exposed to UV. It is **NOT** related to withstanding water, snow, or wind. While FinerPaw™ Roof Deck Protection is water resistant, i s **NOT WATERPROOF. DO NOT USE** TigerPaw Roof Deck Protection as a temporary roof to protect property or possessions.

10=



Lifetime Also Available:

Roof Deck Protection (Available nationwide)

- Fiberglass reinforced, so it lies flatter for a better-looking roof
- UL Classified for use with GAF Class A asphalt shingles Miami-Dade County and Florida Building Code approved
- Meets the physical requirements of ASTM D226 and ASTM D4869
- Up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs[†]
- Approx: 4 squares/roll (432 ft² [40.13 m²]); length 144' (43.89 m); width 36" (914 mm); 30 lbs. (13.6 kg)/roll



FIRE-RESISTANT ROOF DECK PROTECTION

(Available across the U.S.; not available in Canada)

- The best protection against fire spread and penetration
- Fiberglass reinforced, so it lies flatter for a better-looking roof
- Will upgrade the UL fire classification of almost any type of roof (refer to UL Certifications Directory for actual assemblies)
- Meets or exceeds ASTM D146, D226 Type II, D828, D4869 Type IV, D6757 Type I or Type II
- Up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs†
- Approx: 3.5 squares (350 ft² [32.5 m²]/roll (excludes laps); length 100' (30.5 m); width 42" (1067 mm); 52.5 lbs.
- Miami-Dade County and Florida Building Code approved
- ICC-ES ESR-2053

SBS-Modified All-Purpose Underlayment

(Available in West only)

- SBS-modified asphalt increases flexibility and provides long-lasting durability; up to 60 days exposure if necessary
- Fiberglass reinforced, so it lies flatter for a better-looking roof
- UL Classified for use with GAF Class A asphalt shingles
- Meets or exceeds all physical properties of ASTM D226
- Up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs[†]
- Approx: 2 squares/roll (216 gross ft² [20.1 m²]); length 65.8' (20.1 m);





GAF

Cobra® Attic Ventilation



Waterproof Leak Barriers



Eave/Rake **Starter Strips**



Choose From The Industry's Most Comprehensive Line Of Ridge Vents!



Cobra® Ridge Vents...

- Provide superior attic ventilation when properly installed with eave or soffit vents
- Work along the length of the roof's ridge to minimize temperature and equalize pressure inside the attic
- Allow a flow-through of fresh air to reduce damaging heat and moisture
- Pass the 110 mph (177 km/h) wind-driven rain test (under controlled laboratory conditions)
- Up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs[†]
- Carry a UL Class C fire rating, except Cobra® Exhaust Vent For Roof Ridge, which has a UL Class A rating
- ICC Evaluation Report ESR-1265
- Miami-Dade County Approved
- Texas Department of Insurance
- Include the EasyTear™ Sizing Feature, which allows you to hand-tear the vents in regular increments (except Cobra® Exhaust Vent For Roof Ridge)

Property Owner's Best Choice...

- Lets The Beauty Of Your Home Stand Out... Low profile design keeps Cobra® Ridge Vents virtually invisible when installed—to maintain an "uncluttered" look on your roof
- Superior Construction... All rigid-style Cobra® Vents are made with UV stable, high-impact co-polymers; Cobra® Rollstyle Vent is made from UV stable. 100% recycled polyester composite fiber
- **Insect Guard...** Helps prevent problems with insect, bird, and animal infestation
- Energy Efficient... May even help to reduce utility usage
- Integral Filter... Helps resist snow infiltration in harsh winter climates (Cobra® Snow Country[™], Cobra[®] Snow Country Advanced™, and Cobra® Ridge Runner™ Exhaust Vents only)
- Cap Shingle Compatible... Options available for metric, 12" (305 mm), 11.75" (298.5 mm), and 10" (254 mm) width ridge cap shingles.






FASCIAFLOW Premium Intake Ventilation

Today's solution to a 100-year-old problem!

• Makes it easy to install intake ventilation on tough-to-vent homes by replacing existing fascia board Product Specifications: Size: 12' x 6" x 1.25" (3.7 m x 152 mm x 31.8 mm), NFA: 9 in2 (58 cm²) per lineal ft., construction: PVC

"Protect Your Investment And Safeguard Vulnerable Areas"



*Check local building codes for specifications in your area.

- Protect Your Property... Help prevent wind-driven rain from leaking through the roof deck, or melting ice and snow (caused by ice dams in) harsh winter climates) from leaking into property's interior
- Add Extra Protection... In valleys and at eave and rake edges—the most leak-prone areas of the roof. Strongly recommended for chronic problem areas like skylights, dormers, vent pipes, chimneys, and other flashing areas
- Won't Leak... Helps ensure a 100% watertight seal
- Avoid Costly Repairs... Due to staining on interior walls and ceilings
- Better Appearance... Fiberglass reinforcement helps resist wrinkling and buckling—lies flatter under shingles
- Save Labor... Split-back release film peels off in sections, for faster installation and superior property owner value
- Peace Of Mind... Up to a Lifetime Itd. warranty when installed on Lifetime Shingle roofs†



SPECIFICATIONS (NOM.)

WEATHERWATCH

Mineral-Surfaced Leak Barrier

- Mineral surface & fiberglass reinforced UL Classified (see complete marking on product)
- ICC Evaluation Report ESR-1322 Meets the performance criteria of
- Miami-Dade County approved
- State of Florida Approved
- Available nationwide
- Roll width is 36" (0.9 m)

(available regionally).

- Available in 1.5 & 2.0 square rolls
- Length of 1.5 square roll is 50' (15.2 m)
- Length of 2.0 square roll is 66.8' (20.3 m) Approx. area of 1.5 square roll is 150 ft² (13.9 sq m)
- Approx. aréa of 2.0 square roll is 200 ft² (18.6 sa m)

Ask your local Territory Manager about UnderRoof™2 and

WeatherWatch® XT premium performance Leak Barriers

STORMGUARD

- Film surface & fiberglass reinforced
- High temperature design acceptable for use under metal roof systems
- UL Classified (see complete marking) on product)
- ICC Evaluation Report ESR-1322
- Meets the performance criteria of ASTM D1970
- Miami-Dade County approved
- State of Florida Approved
- Available nationwide
- Available in 2.0 square rolls
- Width is 36" (0.9 m), length is 66.8'
- Approx. area of 2.0 square roll is 200 ft² (18.6 sq m)



Many warranties for GAF and competitors require starter strips

- Save Labor... Provides a cost-effective alternative to using cut-up shingles as your starter strip
- Help Prevent Blow-Offs... Includes a high-quality, properly positioned factory-applied adhesive that will tightly lock your shingles in place
- Easy To Install... Pre-scored, no cutting needed
- Maximum Wind Warranties... Requires starter strips on rake and eaves



WEATHER BLOCKER

(Use with all shingles. 17"x40" [432 x 1,016 mm] or splits to 8.5"x40" [216 x 1,016 mm])

- Meets ASTM D3462* III 790 Class A fire rated
- Available nationally



(Use with most standard English and metric-sized shingles. 13" x 38" [330 x 965 mm] or splits to 6.5"x38" [165 x 965 mm])

- Meets ASTM D3462* • UL 790 Class A fire rated
- Available nationally

Also Available:

STARTERMATCH

(Designed for use with GAF Lifetime Designer Shingles requiring complementary color starter. 13.25" x 40" (337 mm x 1016 mm)

* Periodically tested by independent and internal labs to ensure compliance with ASTM D3462 at time of manufacture. †See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles and accessories are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable. Lifetime tid. warranty on accessories requires the use of at least three qualifying GAF accessories and the use of Lifetime Shingles.

†See footnote on next page

GAF

Ridge Cap Shingles







GAF Ridge Cap Shingles are designed to **complement** the color of your GAF laminated shingles. But some contractors cut costs by using the tabs from a 20-year or 25-year 3-tab shingle as your ridge cap. To ensure the closest color consistency for your roof, ask your contractor to use genuine GAF Ridge Cap Shingles!

TIMBERTEX®

Premium Ridge Cap Shingles

RIDGLASS®

Premium Ridge Cap Shingles



Specifications

- Fiberglass asphalt design
- Available in 12" (305 mm) width
- 8" (203 mm) exposure
- UL 790 Class A fire rated
- Meets ASTM D3161 Class F; ASTM D3018 Type I; and ASTM D3462*
- Miami-Dade County approved
- CSA A123.5
- Florida Building Code approved
- ICC-ES ESR-1475 and ICC-ES ESR-3267
- 150 pieces per 100 lineal ft. (30 lm): 5 bundles per 100 lineal ft. (30 lm)
- Approx. 2 nails per piece





Available throughout the U.S. (except the Western Area) & Canada (Check color availability with the nearest GAF sales office)

for PROPERTY OWNERS

- Perfect Finishing Touch... Extra-thick, double-layer design with massive 8" (203 mm) exposure is 195% thicker than strip shingles for a distinctive, upscale look
- The Right Colors... Designed to complement the color of your GAF laminated shingles (unlike using cut-up 3-tab shingles)
- Stays In Place... Dura Grip™ Self-seal Adhesive seals each piece tightly and reduces the risk of shingle blow-off
- StainGuard® Protection... Helps ensure the beauty of your roof against unsightly blue-green algae[†]
- Peace Of Mind... Up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs^{††}

for PROFESSIONALS

for PROPERTY OWNERS

on Lifetime Shingle roofs^{††}

for PROFESSIONALS

customer value

- Versatile... 12" (305 mm) wide design fits over most ridge
- Easier To Install... Newly improved pre-scored design with large 8" (203 mm) exposure means no cutting on the roof and fewer pieces to install

• Incredible Appearance... Unique, ultra-high profile design is up

• Special Design... Created for the unique architectural style of homes in the Western Areas of the U.S. and Canada

• The Right Colors... Designed to complement the color of your

• Stays In Place... Dura Grip™ Self-seal Adhesive seals each piece

• Peace Of Mind... Up to a Lifetime ltd. warranty when installed

• Ready To Install... Patented, pre-folded design with 8" (203 mm)

• Saves Time... Fewer pieces to apply allows you to offer greater

• **High Quality...** Special SBS polymer-modified asphalt helps

exposure means no costly cutting or folding on the roof

beauty of your home by sharply framing the roof line

tightly and reduces the risk of shingle blow-off

prevent cracking and peeling during installation

to 382% thicker than typical strip shingles—to enhance the natural

• **Highest Quality...** Dual layers are sturdy and strong, yet bend easily to hug the ridge line

SEAL-A-RIDGE® Ridge Cap Shingles



(Available only in Eastern, Southern, and Central U.S. Areas, and in Eastern and Central Areas of Canada)

Specifications (Standard Seal-A-Ridge® Ridge Stain

Cap Shingles)



- Fiberglass asphalt design • 6 ²/₃" (169 mm) exposure
- Approx. 12" (305 mm) wide
- UL 790 Class A fire rated
- Miami-Dade County
 MIAMIDADE COUNTY approved
- Florida Building Code approved
- Meets ASTM D3462*
- 4 bundles cover approx. 100 lineal feet (30 lm)
- Approx. 2 nails per piece
- Up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs^{††}

- (Seal-A-Ridge® IR Impact-Resistant Ridge Cap Shingles) Fiberglass asphalt design with FLX™
- formula UL 2218 Class 4 impact resistant
- 5" (127 mm) exposure
- Approx. 12" (305 mm) wide UL 790 Class A fire rated
- Meets ASTM D3462*
- ICC-ES ESR-1475 and ICC-ES ESR-3267
- ICC-ES ESR-1475 and ICC-ES ESR-3267
 4 bundles cover approx.
 100 (30 lm) lipsel feet.
 - Approx. 2 nails per piece
 - Up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs^{††}

(Available only in the Southwestern and Western U.S. Areas. Not available in Canada.)

39



Ridge Cap Shingles



Specifications

- Fiberglass asphalt design
- 5⁵/₈" (143 mm) exposure
- Approx. 10" (254 mm) wide
- UL 790 Class A fire rated
- Meets ASTM D3018 Type I, ASTM D3161 Class A, and ASTM D3462*
- ICC-ES ESR-1475 and ICC-ES ESR-3267
- 3 bundles cover approximately 100 lineal feet (30 lm)
- Up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs^{††}

Specifications

- Fiberglass SBS polymer-modified asphalt design
- Available in 8" (203 mm) and 10" (254 mm) widths
- 8" (203 mm) exposure
- Meets ASTM D3161 Class A; ASTM D3018 Type I; and ASTM D3462*
- UL 790 Class A fire rated
- CSA A123.5

Lifetime

- ICC-ES ESR-1475 and ICC-ES ESR-3267
- 48 (8" [203 mm] & 10" [254 mm]) pcs./ box (one box covers 31 lineal ft. [9 lm] of finished hip & ridge); 3.2 boxes cover approx. 100 lineal ft. (30 lm)
- Approx. 2 nails per piece

Available only in the Western Areas of the U.S. and Canada

- * Periodically tested by independent and internal labs to ensure compliance with ASTM D3462 at time of manufacture. Test results obtained after manufacture will vary.
- †See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions.
- the GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles and accessories are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable. Lifetime Itd. warranty on accessories requires the use of at least three qualifying GAF accessories and the use of Lifetime Shingles.

t, tt, * See footnotes on previous page





ADVANCED PR TECTION TECHNOLOGY

"Attractive, Value-Priced Shingle Featuring GAF's Well-Known Quality"

Weathered Gray for **HOMEOWNERS** Homeowner Favorite... In a blind comparison test, U.S. homeowners preferred the look of Royal Sovereign® to any other 3-tab shingle. Proven Quality... Over 10 billion Royal Sovereign® Shingles have been installed in North America—enough to circle the Earth more than 200 times if they were laid end to end! Advanced Protection® Shingle Technology... Reduces the use of precious natural resources while providing superior protection for your home (visit gaf.com/aps to learn more). Looks Great... Color Lock[™] ceramic firing process (similar to fine china) maintains true color longer. Stays In Place... Passes the industry's two toughest wind tests: ASTM's 110 mph and 150 mph wind tests (under controlled laboratory conditions). Superior Performance... Extra-strong Micro Weave[™] Core provides longer life and extended durability. • Highest Fire Rating... Class A fire rating from Underwriters Laboratories. • Great For Resale... Long-lasting beauty helps increase your home's resale value. Peace Of Mind... 25-year ltd. transferable warranty with Smart Choice® Protection (non-prorated material and installation labor coverage) for the first five years.1 ¹ See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions.

Choosing The Best-Looking Shingle For Your Home

Some people think all 3-tab shingles look pretty much alike. Not so! At GAF, we've gone to great pains to make Royal Sovereign® the most beautiful strip shingle you can install.

But don't just take our word for it.
GAF asked an independent research firm to survey homeowners about whose 3-tab shingles they preferred. The result: More homeowners preferred the look of Royal Sovereign® Shingles to the other leading brands!* And the #1 reason cited by homeowners? Royal Sovereign's color blends.*

Here's just a sampling of what these real homeowners said about Royal Sovereign® Shingles:

"It has more vivid color, it is a more vibrant color... not faded."

"...looks clean, looks classier."

"Looks more natural [than the others] because of the colors."

"...stands out better than the other ones, I like the color, it is brighter."

"It looks rich and very durable."

* Based on a 2010 survey of homeowners conducted in Ohio and Georgia and commissioned by GAF.



(Not available in Canada. For information about Marguis Weather Max® 3-tab Shingles, which are available in Canada, visit gaf.ca.)

Master Flow® Ventilation Products





Most Popular Colors



Regional Colors



Note: Color availability subject to change without notice.



Color Availability Chart Ask your contractor which GAF plant supplies the Royal Sovereign® Shingles in your area.

	Or visit gaf.com for the most current color availability information for your area.											
	Dallas, TX	Fontana, CA	Minneapolis, MN	Mobile, AL	Mt.Vernon, IN	Myerstown, PA	Pacific Northwest	Savannah, GA	Tampa, FL			
Most Popular	Colors:											
Autumn Brown	•		•	•	•	•		•	•			
Charcoal	•	•	•	•	•	•	•	•	•			
Golden Cedar	•	•	•	•	•	•	•	•	•			
Silver Lining	•	•	•		•	•	•		•			
Weathered Gray	•	•	•	•	•	•		•	•			
White 1	•	•	•		•	•		•	•			
Regional Cold	ors:											
Ash Brown	•			•								
Cypress Tan									•			
Desert Sand		•										
Harvest Brown		•										
Nickel Gray			•	•	•	•						
Russet Red									•			
Sandrift									•			
Slate	•	•		•	•	•		•				
Stone Gray		•					•					
Cummar Caga												

GOOD HOUSEKEEPING U.S. only



Note: Available in

¹ ENERGY STAR® Qualified (U.S. Only). In the Fontana, CA service area, this shingle meets the prescriptive requirements of Title 24, Part 6, of the California Code of Regulations and is rated by the Cool Roof Rating Council

Note: It is difficult to reproduce the color clarity and actual color blends of these products. Before selecting your color, please ask to see several

Power Vents



overall comfort of your home, helps reduce the cost of air conditioning and wear on the system, minimizes heat/moisture damage to roof and attic, and helps fight mold and mildew. Master Flow® Power Ventilators feature:

- UL Listed and Miami-Dade County approved (select models)
- Large flashing for easy installation
- Automatic thermostat, available with humidistat/thermostat control as an option
- Built-in thermal protection for safety

Whole House Fans (not available in Canada)

Master Flow® Whole House Fans help the property owner beat the heat and reduce air conditioning costs by forcing out hot air and bringing in cooler outside air.

- UL listed
- Ceiling shutter included
- Backed with 5- or 10-year Itd. warranties*

Roof Louvers (select models)

The Master Flow® line offers one of the broadest assortments of industry. Roof louvers, wall louvers,

"energy free" products in the ridge vents, chimney caps, foundation vents, undereave vents, and roof lacks, all in a large assortment of materials and colors, to meet every need

Turbines





The Master Flow® line offers the finest "energy free" attic ventilators. Dual bearing turbines are:

- Backed by a Lifetime ltd. warranty**
- Internally or externally braced; 12" (305 mm) and 14" (357 mm) sizes
- Available in a large assortment of colors
- Miami-Dade County approved without storm caps! (select models)
- * See Master Flow® Powered Ventilation Products Ltd. Warranty for complete coverage and restrictions.
- To complete coverage and restrictions. See Master Flow® Non-Powered Ventilation Products Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" means as long as the original owner of the turbines (or the second owner in certain circumstances) owns the property where the turbines are installed. For owners not meeting the above criteria, Lifetime coverage is not applicable

Solar-Powered Vents

The ultimate in energy-saving power vents, Master Flow® Green Machine™ EcoSmart Solar Vents use the sun's energy to remove damaging heat and moisture from your attic.

PRSOLAR2 (Solar-Powered)

- 750 CFM airflow, includes h-stat/t-stat PRHYBRID2 (Dual-Powered)
- 750 CFM airflow on solar power, 900 CFM on house power;



PRSOLAR1 (Solar-Powered) 500 CFM airflow PRHYBRID1 (Dual-Powered)

• 500 CFM airflow on solar power, 750 CFM on house power



- Equipped with brushless motors that require no maintenance
- 100% solar-powered models require no electrical wiring or electricians
- Unique dual-powered units run on house power at night or when the sun is not out and require 80% less electricity than conventional power vents (when running on
- Miami-Dade County approved (select models)

Fiber-Cement Siding

Weather Side "The One And Only Solution For Repairing Asherter Siding"

- Perfect Design... Virtually identical in size and shape to millions of old non-existent asbestos siding shingles installed over the last 60 years
- Avoid Hassles & Expenses... Great for repairing or matching damaged asbestos siding shingles without the expense of new siding for the whole house
- Safe...WeatherSide™ Fiber-Cement Siding contains NO asbestos
- Easy Installation... After properly removing the old siding*, simply nail the WeatherSide™ siding in place and paint
- Pre-Primed... Ready to be painted to match the existing wall color
- Meets Code... Miami-Dade County approved, State of Florida approved, UL certified, and Texas Department of Insurance listed



Purity[™] Shingle

- · Textured surface with Straight, Wayy or Thatched edge
- Size: 12" x 24" (305 mm x 609 mm)



813 mm)

Emphasis[™] Shingle

- Extra-thick wood grain surface with Thatched edge
- Size: 145/8" x 32" (371 mm

*We recommend that any removal and disposal of asbestos-containing products be done by a professionally trained asbestos removal contractor.



 Siding Backer Strips (9" [227 mm], 12" [305 mm], and 14"

 Hot-dipped galvanized Siding Nails

Pre-Primed Individual (9" [227 mm], 12" [305 mm], and 14"

Emphasis™ Corners)

43

Fiberglass Asphalt Shingle Specifications*

				APPROXIMATE									C	ODE	DES						SPECIAL		
		UNITED WARRANTY to CONSUMERS O GOOD		P	HYS	ICAL A	ATTRI	BUTES		FIRE	WI	ND	NATIONAL			REGIONAL					FEATURES		ES
		V.S. only	WARRANTY ²	Pieces/Square	Bundles/Square	Nails/Square ⁶	Exposure	Dimensions		Rated Class A Fire— UL 790	Passes ASTM D7158, Class H	ASTM D3161 Type 1, Class F	ASTM D3018 Type 1	ASTM D3462 ¹	CSA A123.5	Miami-Dade County Approved	Florida Building Code Approved	Texas Department of Insurance	ICC-ES ESR-1475	ICC-ES ESR-3267	Passes UL 2218, Class 4 Impact Test	ENERGY STAR® (U.S. Only)	Cool Roof Rating Council
ULTRA-PREMIUM COLLECTION	Camelot® Stain- Guard Ada Discontante		LIFE ANCISON OF MALANT LIFE CONTROL OF MALANT	56	7	280	7.5" 191 mm	17" x 34½" 432 x 876 mm		•	•	•	•	•		•	•	•	•	•			
ULTRA-P COLLE	Grand Canyon® Stain		LID. WARRANTY TERM	72	6	360	5" 127 mm	17" x 40" 432 x 1016 mm		•	•	•	•	•	•	•	•	•	•	•			
	Grand Sequoia®		LIFE WARRANTY TERM	72	5	360	5" 127 mm	17"x 40" 432 x 1016 mm		•	•	•	•	•	•	•	•	•	•	•			
NGLES	Woodland® Stain-Guard		LID. WARRANTY TERM	56	4	280	6.5" 165 mm	17"x 40" 432 x 1016 mm		•	•	•	•	•	•	•	•	•	•	•			
VALUE COLLECTION LIFETIME DESIGNER SHINGLES	Monaco® Stain-Guard		LID. WARRANTY TERM	48	3	240	7.5" 191 mm	17"x 40" 432 x 1016 mm		•	•	•	•	•	•	•	•	•	•	•			
ALUE CO	Camelot® II		LIFETIME LID. WARRANTY TERM	56	4	280	7.5" 191 mm	17" x 34½" 432 x 876 mm		•	•	•	•	•	•	•	•	•	•	•			
LIFETI	Sienna® Stain Guard		LIFE WARRANTY TERM	64	4	256	5.5" 140 mm	17%"x 40" 441 x 1016 mm		•	•	•	•	•	•	•	•	•	•	•			
	Slateline® Stain August Bestudates		LIFE ANCISOR OF THE MALANTY LIFE CONTROL OF THE MALANTY LID. WARRANTY TERM	48	3	288	7.5" 191 mm	17" x 40" 432 x 1016 mm		•	•	•	•	•	•	•	•	•	•	•			
ETIME	Timberline® Cool Series Stain- Guard And Discharges		LIFETIME LID. WARRANTY TERM	64	3	256	5%" 143 mm	13¼" x 39¾" 337 x 1000 mm		•	•	•	•	•		•	•	•	•	•		•	•
SPECIALTY LIFETIME SHINGLES	Timberline® ArmorShield™ II Stain. Guard. And Discussions		LID. WARRANTY TERM	64	3	256	5%" 143 mm	13¼" x 39¾" 337 x 1000 mm		•	•	•	•	•			•	•	•	•	•		
SPECI	Grand Sequoia® IR Stain. Guard And I Bestudented IR		LID. WARRANTY TERM	72	4	360	5" 127 mm	17" x 40" 432 x 1016 mm		•	•	•	•	•	•	•	•	•	•	•	•		
ME	Timberline Ultra HD®	3	LIFE WARRANTY TERM	64	4	256	5%" 143 mm	13¼" x 39¾" 337 x 1000 mm		•	•	•	•	•	•	4	•	•	•	•			
E® LIFETIME GLES	Timberline® American Harvest® Guard		LIFETIME LID. WARRANTY TERM	64	3	256	5%" 143 mm	13¼" x 39%" 337 x 1000 mm		•	•	•	•	•	•	4	•	•		•			
TIMBERLINE® LIF	Timberline HD®		LID. WARRANTY TERM	64	3	256	5%" 143 mm	13¼" x 39%" 337 x 1000 mm		•	•	•	•	•	7	4	•	•	•	•		5	
¥	Timberline® Natural Shadow® Stain. Guard		LID. WARRANTY TERM	64	3	256	5%" 143 mm	13¼" x 39%" 337 x 1000 mm		•	•	•	•	•		4	•	•	•	•		5	
SHINGLES	Royal Sovereign® Stain.	3	25 Years LID.WARRANTY TERM	79 Eng 64 Metric	3	316 Eng 256 Metric	5" Eng 127 mm 5%" Metric 143 mm	12" x 36" Eng 305 x 914 mm 13¼" x 39¾" Metric 337 x 1000 mm		•	•	•	•	•		•	•	•	•	•		5	5
3-TAB SI	Marquis WeatherMax® Stain. Guard And Disconnection		30 Years LID.WARRANTY TERM	79 Eng 64 Metric	3	316 Eng 256 Metric	5" Eng 127 mm 5%" Metric 143 mm	12" x 36" Eng 13¼" x 39¾" Metric		•	•	•	•	•	•		•	•	•	•			


* For the current specifications on TruSlate®, which is genuine slate (not an asphalt shingle), visit gaf.com or truslate.com.

1 Periodically tested by independent and internal labs to ensure compliance with ASTM D3462 at time of manufacture.

2 All shingles with a Lifetime ltd. warranty also have a 110 mph wind warranty. However, if the shingles are (a) installed with six nails per shingle and (b) installed using GAF starter strip products installed at the eaves and rakes, the wind speed coverage is 130 mph. The word "Lifetime" means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable. See GAF Shingle & Accessory Limited Warranty for complete coverage and restrictions.

Accessory **Paint**





GAF ShingleMatch™ Roof Accessory Paint will help to hide unsightly protrusions on the roof, including vent pipes, exhaust vents, and flashings.

PRODUCT SPECIFICATIONS

Can Size: 12 oz. Cans Per Case: 6 Cases Per Pallet: 128

Colors:

Barkwood, Birchwood, Charcoal, Driftwood, Fox Hollow Gray, Hickory, Hunter Green, Mission Brown, Pewter Gray, Shakewood, Slate, and Weathered Wood



45

³ StainGuard® Protection available in some areas.
4 Applies to some plants (that make referenced product).
5 Applies to white only.
6 Steeper slopes and maximum wind warranties may require more nails.
7 Applies to product sold in Canada only.

Self-AdheringLow-Slope Roofing Systems



SBS Self-Adhering Roofing System

- Safer... Self-adhering membrane system eliminates the need for open flames, torches, kettles, or dangerous chemicals
- No Fumes... Unlike conventionally applied systems, eliminates the fumes and odors caused by hot asphalt or solvent-based adhesives
- Proven Technology... Based on the same technology used in GAF's commercial roofing systems—proven in the field for decades!
- Quicker Installation... Often 1/3 faster than conventional systems, with minimal set-up or clean-up time
- No Extra Tools... No need to stage extra equipment
- Limited Warranty Included... against material defects for up to 15 years*
- Extended Guarantees Available... Optional full-system guarantees against manufacturing defects and workmanship errors available for up to 20 years**
- 7 Popular Colors... To complement your Timberline® Series or other

Liberty™SBS Self-Adhering Base Sheet Specifications (nom.)

- Roll length is 66 ft. (20.1 m)
- Roll width is 39.375 in. (1.0 m)
- Roll size is 2 squares, 216 sq. ft. (20.1 m²)
- FM approved, UL classified, State of Florida approved, Miami-Dade County approved, Texas Department of Insurance listed

Liberty™SBS Self-Adhering Cap Sheet Specifications (nom.)

- Roll length is 34 ft. (10.4 m)
- Roll width is 39.375 in. (1.0 m)
- Roll size is 1 square, 112 sq. ft. (10.4 m²)
 FM approved, UL classified, State of Florida approved, Miami-Dade County approved, Texas Department of Insurance listed

Liberty **SBS Mechanically Attached Base Sheet Specifications (nom.)

- Roll length is 66 ft. (20.1 m)
- Roll width is 39.375 in. (1.0 m)
- Roll size is 2 squares, 216 sq. ft. (20.1 m²)
- FM approved, UL classified, State of Florida approved, Miami-Dade County approved, Texas Department of Insurance listed
- *See Limited Warranty On Liberty" SBS Materials for complete coverage and restrictions.
 **See System Pledge" Roof Guarantee and RUBEROID®/GAFGLAS® Diamond Pledge" NDL Roof Guarantee for complete coverage and restrictions.
- exact match. Because of the small size of these samples, it is difficult to reproduce the actual

Please Note: These blended colors are designed to complement your shingles, not to be an color effect. Please be sure to see a full-size roll before making a final color selection.

"The Affordable Genuine Slate"®

- Genuine Hand-Split Quarried Slate... Not a synthetic imitation
- Stunningly Beautiful... Helps differentiate your property and increases curb appeal
- Affordably Priced... Often comparable to the cost of a plastic imitation, tile, or metal
- Superior Quality & Performance... Meets ASTM C406 \$1-Grade and virtually all building codes in the U.S.
- Lifetime Ltd. System Warranty*... When installed by a GAF Certified SlateCrafter™ Specialist

*See TruSlate® Smart Choice® Ltd. Warranty and TruSlate® Ultimate Pledge™ Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" means as long as you, the original owner(s) [or the second owner(s) if coverage was properly transferred within the first 15 years] own the property where the TruSlate® Premium Roofing System is installed.



Meadow Green



















Mystic Grey









Specifications



- State of Florida Approved
- Texas Department of Insurance listed Code Compliance Research Report
- Meets ASTM C406, Grade S1



Antique Purple

Rustic Red

GOOD HOUSEKEEPING

Note: Due to the inherent variability in natural slate (as well as the limitations of the commercial printing process), the actual color and texture of your TruSlate® roof will vary from that shown in this


truslate.com

Finally...Affordable **Genuine Slate**Offered In Two Exclusive Collections











CELEBRATING OVER 125 YEARS OF EXCELLENCE!

Advanced Quality

Professional installers have long preferred the rugged, dependable performance that only a GAF roof can offer, and have made our Advanced Protection® Shingles the #1 brand in North America!

- Inventors of the **Timberline**[®]
 Advanced Protection[®] Shingle—the #1-selling shingle in North America
- Rated #1 in shingle quality in the 2013 BUILDER® magazine Brand Use Study
- Named #1 in innovation for shingles by Home Builder Executive magazine in 2012 and 2013
- Named most-recommended brand by upscale remodelers in the U.S.
- First to pass ASTM D3161 Class F (110 mph) and ASTM D7158 Class H (150 mph) wind ratings on every manufactured shingle (per UL public listing)
- First to produce an energy-efficient asphalt shingle available in rich colors, called the Cool Color Series (now called Timberline® Cool Series)

Expertise You Can Count On

We've been at this for over 125 years. Why turn to anyone else to protect your most valuable asset?

 Manufacturing locations across North America—to serve you better



- C.A.R.E. installation training program that has provided education to over 180,000 industry professionals
- Regularly sought out to appear in leading home and garden publications and on home improvement networks such as HGTV

Solutions Made Simple

Getting a new roof shouldn't be an exercise in pain and frustration. So we've made it easy!

- Our GAF Lifetime Roofing System includes everything you need to provide reliable, water-tight protection for your home
- Our factory-certified contractors more than 5,000 strong in the U.S.—eliminate the risk that your roof will be installed by some fly-by-night contractor
- Our industry-leading warranties backed by North America's largest roofing manufacturer—will provide you with the peace of mind you deserve



U.S. only







GAF Proudly Sponsors
"The All-American Home" Campaign
www.theallamericanhome.com



Quality You Can Trust...From North America's Largest Roofing Manufacturer!™

gaf.com

SALES OFFICES:

NORTHEAST CENTRAL 717-866-8392 630-296-1980

©2014 GAF 10/14 #001

. **SOU**7 980 813-8

SOUTHEAST S 813-829-8880 9

SOUTHWEST WEST 972-851-0500 800-445-9330

CANADA 855-492-8085 WORLD HQ 973-628-3000

